

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Jaime N. Garcia	
Date of Inspection:	5/11/15	
Shift: 1 st Shift or 2 nd Shift	Time: 5	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NOR	
Visible Emission From Discharge Conveyor System	NOR	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Ted. Cuyton		
Date of Inspection:	5/1/15		
Shift:	<input checked="" type="radio"/> 1st Shift	or	<input type="radio"/> 2nd Shift
Time:	5 PM		

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	No	
Visible Emission From Discharge Conveyor System	No	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift or 2 nd Shift Time:		
Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOV	
Visible Emission From Discharge Conveyor System	NOV	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Demian Salinas Jr	
Date of Inspection:	5-2-15	
Shift:	1st Shift or 2nd Shift	Time: 5: PM

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	May 3, 15	
Shift:	1st Shift or 2nd Shift	Time: 5:00

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Damian Salinas Dr		
Date of Inspection:	5-3-15		
Shift:	<input checked="" type="radio"/> 1st Shift	or	<input type="radio"/> 2nd Shift
Time:	5:30pm		

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	=
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko		
Date of Inspection:	May 4, 15		
Shift:	1st Shift	or	2nd Shift
Time:	5:00		

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	George A. Sundt	
Date of Inspection:	5/4/15	
Shift:	1st Shift or 2nd Shift	Time: 5:00pm

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	May 5 18	
Shift:	<input checked="" type="radio"/> 1st Shift or <input type="radio"/> 2nd Shift	Time: 500 AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>George V Sanchez</i>		
Date of Inspection:	<i>5/5/15</i>		
Shift:	<input checked="" type="radio"/> 1st Shift	or	<input type="radio"/> 2nd Shift
Time:	<i>5:00 pm</i>		

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Paul Lark	
Date of Inspection:	5-6-15	
Shift: 1 st Shift or 2 nd Shift	Time: 5:00 PM	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	nor	=
Visible Emission From Discharge Conveyor System	nor	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:		
Date of Inspection:		
Shift: 1 st Shift	or	2 nd Shift
		Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko		
Date of Inspection:	May 7, 15		
Shift:	1st Shift	or	2nd Shift
Time:	500AM		

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the defree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Darren B Cudjoe		
Date of Inspection:	5-7-2015		
Shift:	1 st Shift or 2 nd Shift	Time:	5p

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Not	-
Visible Emission From Discharge Conveyor System	Not	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Jeremy Hardin	
Date of Inspection:	5/8/15	
Shift: 1 st Shift or 2 nd Shift	Time: 5:00am	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	George A Sanchez	
Date of Inspection:	5/8/15	
Shift:	<input checked="" type="radio"/> 1st Shift or <input type="radio"/> 2nd Shift	Time: 5:00pm

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	Nor	
Visible Emission From Discharge Conveyor System	Nor	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Paul Lark</i>
Date of Inspection: <i>5-9-15</i>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <i>5:00 pm</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>nor</i>	
Visible Emission From Discharge Conveyor System	<i>nor</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector: Jaime Garcia

Date of Inspection: 5/10/15

Time: 5 AM

Shift: 1st Shift or 2nd Shift

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	
Visible Emission From Discharge Conveyor System	NOR	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Jaime N Garcia</u>		
Date of Inspection: <u>5/14/15</u>		
Shift: 1st Shift	or <u>2nd Shift</u>	Time: <u>5 Am</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>None</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>None</u>	<u>—</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A Sandree</i>		
Date of Inspection: <i>5/11/15</i>		
Shift: <i>1st Shift</i> or 2nd Shift	Time: <i>5:00 pm</i>	

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	May 12, 15	
Shift:	1st Shift or <u>2nd Shift</u>	Time: 530

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 13, 15</u>
Shift: 1st Shift or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A Sanchez</i>		
Date of Inspection: <i>5/13/15</i>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <i>5:00 pm</i>	

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Jaime N. Gonzalez</i>		
Date of Inspection:	<i>5/14/15</i>		
Shift:	1st Shift	or	2nd Shift
Time:	<i>5Am</i>		

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>NOR</i>	
Visible Emission From Discharge Conveyor System	<i>NOR</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A. Sanchez</i>		
Date of Inspection: <i>5/14/15</i>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <i>5:00 pm</i>	

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Jaime M Garcia</i>		
Date of Inspection: <i>5/15/15</i>		
Shift: 1st Shift	or <i>2nd Shift</i>	Time: <i>5Am</i>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>NOR</i>	
Visible Emission From Discharge Conveyor System	<i>NOR</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>George A. Sander</i>	
Date of Inspection:	<i>5/15/15</i>	
Shift:	<input checked="" type="radio"/> 1st Shift or <input type="radio"/> 2nd Shift	Time: <i>5:00pm</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Darren B And Joe</u>		
Date of Inspection: <u>5-15-2015</u>		
Shift: <u>1st Shift</u>	or	2nd Shift
		Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>Nor</u>	-
Visible Emission From Discharge Conveyor System	<u>Nor</u>	-

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Seremy Hardin</i>		
Date of Inspection: <i>5/17/15</i>		
Shift: 1 st Shift or <u>2nd Shift</u> Time: <i>500 am</i>		
Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	
Visible Emission From Discharge Conveyor System	<i>Normal</i>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emission Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darra B Andjoe</i>	
Date of Inspection:	<i>5-17-2015</i>	
Shift:	<input checked="" type="radio"/> 1st Shift or <input type="radio"/> 2nd Shift	Time: <i>5:00</i>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Not</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Not</i>	<i>-</i>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Jeremy Hardin</u>		
Date of Inspection: <u>5/18/15</u>		
Shift:	1st Shift or <u>2nd Shift</u>	Time: <u>500am</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>normal</u>	
Visible Emission From Discharge Conveyor System	<u>normal</u>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>		
Date of Inspection: <u>May 18, 15</u>		
Shift: 1st Shift	or	<u>2nd Shift</u> Time: <u>520pm</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>		
Date of Inspection: <u>May 19, 15</u>		
Shift: <u>1st Shift</u>	or	2nd Shift
Time: <u>5:00 PM</u>		

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A. Sanchez</i>		
Date of Inspection: <i>5/28/15</i>		
Shift: 1st Shift	or <u>2nd Shift</u>	Time: <i>8:00 AM</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smellko</u>		
Date of Inspection: <u>May 20, 15</u>		
Shift: 1st Shift	or	2nd Shift
		Time: <u>5:00 pm</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A Sanchez</i>		
Date of Inspection: <i>5/21/15</i>		
Shift: 1st Shift	or	2nd Shift
		Time: <i>5:00 PM</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>		
Date of Inspection: <u>May 21, 15</u>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <u>500 pm</u>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A. Sanchez</i>		
Date of Inspection: <i>5/22/15</i>		
Shift: 1st Shift	or <u>2nd Shift</u>	Time: <i>5:00 AM</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>May 22, 13</u>
Shift: <u>1st Shift</u> or 2nd Shift Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A Sanchez</i>		
Date of Inspection: <i>5/23/15</i>		
Shift: 1st Shift	or <i>2nd Shift</i>	Time: <i>5:00 AM</i>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Darren B. Adgore</u>		
Date of Inspection: <u>5-23-2015</u>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <u>7:00 am</u>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>Nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>Nor</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Alex Bautista

Date of Inspection: 5/24/15

Shift: 1st Shift or 2nd Shift Time: 1pm

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	NOR	—
Visible Emission From Discharge Conveyor System	NOR	—

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift

(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: Ted Crompton
Date of Inspection: 5/25/18
Shift: 1st Shift or 2nd Shift Time: 5 AM

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	No ✓	
Visible Emission From Discharge Conveyor System	No ✓	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A. Sanchez</i>		
Date of Inspection: <i>5/25/15</i>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <i>5:00 pm</i>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smellko</u>		
Date of Inspection: <u>May 26, 15</u>		
Shift: <u>1st Shift</u> or <u>2nd Shift</u>	Time: <u>500AM</u>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A. Sanchez</i>		
Date of Inspection: <i>5/26/15</i>		
Shift: <i>1st Shift</i> or 2nd Shift	Time: <i>5:00pm</i>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>		
Date of Inspection: <u>May 27, 15</u>		
Shift: 1st Shift	or	2nd Shift
		Time: <u>500</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Darren B And-joe</u>		
Date of Inspection: <u>5-27-2015</u>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <u>6:00</u>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>Nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>Nor</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>		
Date of Inspection: <u>May 28 15</u>		
Shift: 1st Shift	or	2nd Shift
		Time: <u>500AM</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A. Sanchez</i>		
Date of Inspection: <i>5/28/15</i>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <i>5:00 pm</i>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Jaime N Garcia</u>		
Date of Inspection: <u>5/29/50</u>		
Shift: 1st Shift	or <u>2nd Shift</u>	Time: <u>5 Am</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>None</u>	<u>—</u>
Visible Emission From Discharge Conveyor System	<u>None</u>	<u>—</u>

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>George A Sanchez</i>		
Date of Inspection: <i>5/29/15</i>		
Shift: <u>1st Shift</u> or 2nd Shift	Time: <i>5pm</i>	

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	
Visible Emission From Discharge Conveyor System	<i>Nor</i>	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Danlan Salinas Jr</u>		
Date of Inspection: <u>5-30-15</u>		
Shift:	1st Shift or <u>2nd Shift</u>	Time: <u>5:00 AM</u>

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	<u>Nor</u>	—
Visible Emission From Discharge Conveyor System	<u>Nor</u>	—

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 SDS I Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	
Date of Inspection:	
Shift: 1st Shift or 2nd Shift	Time:

Unit	Visual Inspection NORMAL or ABNORMAL	Comments
Visible Emission From Shaker	Norm	
Visible Emission From Discharge Conveyor System	Norm	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.